

Input Set : A:\3759-0106P.ST25.txt

Output Set: N:\CRF4\10312002\I619310B.raw

RECEIVED

NOV 0 7 2002 3 <110> APPLICANT: THASTRUP, Ole TULLIN, Soren **TECH CENTER 1600/2900** POULSEN, Lars K BJORN, Sara P 8 <120> TITLE OF INVENTION: Novel Florescent Proteins 10 <130> FILE REFERENCE: 3759-0106P 12 <140> CURRENT APPLICATION NUMBER: 09/619,310B 13 <141> CURRENT FILING DATE: 2000-07-19 15 <150> PRIOR APPLICATION NUMBER: US 08/819,612 ENTERED 16 <151> PRIOR FILING DATE: 1997-03-17 18 <150> PRIOR APPLICATION NUMBER: PCT/DK96/00051 19 <151> PRIOR FILING DATE: 1996-01-31 21 <150> PRIOR APPLICATION NUMBER: DK 1065/95 22 <151> PRIOR FILING DATE: 1995-09-22 24 <160> NUMBER OF SEQ ID NOS: 23 26-<170> SOFTWARE: PatentIn version 3.1 28 <210> SEQ ID NO: 1 29 <211> LENGTH: 36 30 <212> TYPE: DNA 31 <213> ORGANISM: Artificial Sequence 33 <220> FEATURE: 34 <223> OTHER INFORMATION: GFP2 primer directed to A. victoria 36 <400> SEQUENCE: 1 37 tggaataagc tttatgagta aaggagaaga actttt 36 40 <210> SEQ ID NO: 2 41 <211> LENGTH: 36 42 <212> TYPE: DNA 43 <213> ORGANISM: Artificial Sequence 45 <220> FEATURE: 46 <223> OTHER INFORMATION: GFP-1 primer directed to A. victoria 48 <400> SEQUENCE: 2 49 aagaattcgg atccctttag tgtcaattgg aagtct 36 52 <210> SEQ ID NO: 3 53 <211> LENGTH: 67 54 <212> TYPE: DNA 55 <213> ORGANISM: Artificial Sequence 57 <220> FEATURE: 58 <223> OTHER INFORMATION: 5' PCR primer incorporating the Y66H substitution responsible changing green fluorescence into blue fluorescence 61 <400> SEQUENCE: 3 62 ctacctgttc catggccaac gcttgtcact actttcctca tggtgttcaa tgcttttcta 60

67

67 <210> SEQ ID NO: 4

64 gataccc

for

36

30

30

48

DATE: 10/31/2002 RAW SEQUENCE LISTING TIME: 16:05:24 PATENT APPLICATION: US/09/619,310B

Input Set : A:\3759-0106P.ST25.txt

Output Set: N:\CRF4\10312002\1619310B.raw

- 68 <211> LENGTH: 36 69 <212> TYPE: DNA
- 70 <213> ORGANISM: Artificial Sequence
- 72 <220> FEATURE:
- 73 <223> OTHER INFORMATION: 3' PCR primer incorporating the Y66H substitution responsible

for

- changing green fluorescence into blue fluorescence
- 76 <400> SEQUENCE: 4
- 77 aagaattcgg atccctttag tgtcaattgg aagtct
- 80 <210> SEQ ID NO: 5 81 <211> LENGTH: 30
- 82 <212> TYPE: DNA
- 83 <213> ORGANISM: Artificial Sequence
- 85 <220> FEATURE:
- 86 <223> OTHER INFORMATION: 5' primer used to flank the Y66H-GFP
- 88 <400> SEQUENCE: 5
- 89 aattggtacc aaggaggtaa gctttatgag
- 92 <210> SEQ ID NO: 6
- 93 <211> LENGTH: 30
- 94 <212> TYPE: DNA
- 95 <213> ORGANISM: Artificial Sequence
- 97 <220> FEATURE:
- 98 <223> OTHER INFORMATION: 3' primer used to flank the Y66H-GFP
- 100 <400> SEQUENCE: 6
- 101 ctttcgtttt gaattcggat ccctttagtg
- 104 <210> SEQ ID NO: 7
- 105 <211> LENGTH: 48
- 106 <212> TYPE: DNA
- 107 <213> ORGANISM: Artificial Sequence
- 109 <220> FEATURE:
- 110 <223> OTHER INFORMATION: large Ncol-Xbal vector fragment and ligated to SEQ ID NO:8
- 112 <400> SEQUENCE: 7
- 113 catggccaac gcttgtcact actctctctt atggtgttca atgctttt 48
- 116 <210> SEQ ID NO: 8
- 117 <211> LENGTH: 48
- 118 <212> TYPE: DNA
- 119 <213> ORGANISM: Artificial Sequence
- 121 <220> FEATURE:
- 122 <223> OTHER INFORMATION: synthetic NcoI-Xbal DNA linker and ligated to SEQ ID NO:7
- 124 <400> SEQUENCE: 8
- 48 125 ctagaaaagc attgaacacc ataagagaga gtagtgacaa gcgttggc
- 128 <210> SEQ ID NO: 9
- 129 <211> LENGTH: 48
- 130 <212> TYPE: DNA
- 131 <213> ORGANISM: Artificial Sequence
- 133 <220> FEATURE:
- 134 <223> OTHER INFORMATION: large Ncol-Xbal vector fragment ligated to SEQ ID NO:10
- 136 <400> SEQUENCE: 9
- 137 catggccaac gcttgtcact actctcactt atggtgttca atgctttt
- 140 <210> SEQ ID NO: 10

Input Set : A:\3759-0106P.ST25.txt

Output Set: N:\CRF4\10312002\I619310B.raw

141 <211> LENGTH: 48 142 <212> TYPE: DNA 143 <213> ORGANISM: Artificial Sequence 145 <220> FEATURE: 146 <223> OTHER INFORMATION: Ncol-Xbal DNA linker ligated to SEQ ID NO:9 148 <400> SEQUENCE: 10 149 ctagaaaagc attgaacacc ataagtgaga gtagtgacaa gcgttggc 48 152 <210> SEQ ID NO: 11 153 <211> LENGTH: 36 154 <212> TYPE: DNA 155 <213> ORGANISM: Artificial Sequence 157 <220> FEATURE: 158 <223> OTHER INFORMATION: 5' primer based on pGFP-N1 plasmid 160 <400> SEQUENCE: 11 36 161 tggaataagc tttatgagta aaggagaaga actttt 164 <210> SEQ ID NO: 12 165 <211> LENGTH: 35 166 <212> TYPE: DNA 167 <213> ORGANISM: Artificial Sequence 169 <220> FEATURE: 170 <223> OTHER INFORMATION: 3' primer based on pGFP-N1 plasmid 172 <400> SEQUENCE: 12 35 173 gaatcgtaga tctttatttg tatagttcat ccatg 176 <210> SEQ ID NO: 13 177 <211> LENGTH: 40 178 <212> TYPE: DNA 179 <213> ORGANISM: Artificial Sequence 181 <220> FEATURE: 182 <223> OTHER INFORMATION: 5' primer based on pZeoSV-LacZ plasmid 184 <400> SEQUENCE: 13 40 185 tqqaataaqc tttatggatc ccgtcgtttt acaacgtcgt 188 <210> SEQ ID NO: 14 189 <211> LENGTH: 34 190 <212> TYPE: DNA 191 <213> ORGANISM: Artificial Sequence 193 <220> FEATURE: 194 <223> OTHER INFORMATION: 3' primer based on pZeoSV-LacZ plasmid 196 <400> SEQUENCE: 14 197 gcgcgaattc ttattattat ttttgacacc agac 34 200 <210> SEQ ID NO: 15 201 <211> LENGTH: 764 202 <212> TYPE: DNA 203 <213> ORGANISM: Aequorea Victoria 205 <220> FEATURE: 206 <221> NAME/KEY: CDS 207 <222> LOCATION: (8)..(721) 208 <223> OTHER INFORMATION: W--> 211 <400> 15

212 aagcttt atg agt aaa gga gaa ctt ttc act gga gtt gtc cca att

Input Set : A:\3759-0106P.ST25.txt
Output Set: N:\CRF4\10312002\1619310B.raw

213			Wo+	Co=	T 110	C1	C1	C1.,	T 011	Pho	mb r	C1 11	Wa l	Wa I	Pro	Tle	
213			Met 1	Sei	пÃ2	GIY	Glu 5	GIU	Leu	FIIE	1111	10	, var	Vai	FIO	116	
			gaa														97
		Val	Glu	Leu	Asp		Asp	Val	Asn	Gly		Lys	Phe	Ser	Val		
218						20					25					30	3.5
			ggt														145
	GTĀ	GLu	Gly	GIU	35	Asp	Ala	Thr	Tyr	40	гàг	ьeu	Thr	ьeu	ьуs 45	Pne	
222	att	tac	act	act		aan	cta	cct	att		taa	cca	acq	ctt		act	193
			Thr														220
22.6		010		50	0-1	-1-			55					60			
228	act	ttc	tct	tat	ggt	gtt	caa	tgc	ttt	tca	aga	tac	cca	gat	cat	atg	241
229	Thr	Phe	Ser	Tyr	Gly	Val	Gln	Cys	Phe	Ser	Arg	Tyr	Pro	Asp	His	Met	
230			65					70					75				
		_	cat	_			_	_	_	_		_					289
	Lys		His	Asp	Phe	Phe	_	Ser	Ala	Met	Pro		GLY	Tyr	Val	GIn	
234	~~ ·	80	-	-+-	+++	+	85	~ a +	<i>a</i> > <i>a</i>	~~~	224	90	224	202	aat	aat	337
			act Thr														337
238		nry	1111	110	1110	100	1 175	пор	nop		105	-1-	11,5		*** 9	110	
		qtc	aag	ttt	qaa		gat	acc	ctt	gtt		aga	atc	gag	tta		385
	_	_	Lys		_		_			_							
242					115					120					125		
			gat														433
	Gly	Ile	Asp		Lys	Glu	Asp	Gly		Ile	Leu	Gly	His	-	Met	Glu	
246				130					135					140			401
			tat Tyr														481
250	туг	ASII	145	ASII	261	птэ	ASII	150	TÄT	116	Mec	AIG	155	цуѕ	FIO	паё	
	aat	σσα	atc	, aaa	att	aac	ttc		att	aσa	cac	aac		aaa	gat	gga	529
			Ile														
254		160		-			165	-				170		_	_		
			caa														577
		Val	Gln	Leu	Ala		His	\mathtt{Tyr}	Gln	Gln		Thr	Pro	Ile	Gly		
	175					180					185					190	
			gtc														625
262	GIY	Pro	Val	ьeu	ьеи 195	Pro	ASP	ASI	HIS	200	ьeu	ser	THE	GIU	205	Ala	
	ctt	tcc	aaa	gat		aac	σаа	ааσ	aga		cac	atq	atc	ctt		gag	673
			Lys	_			_	_	_	_		_					0.0
266				210				•	215	•				220			
268	ttt	gta	aca	gct	gct	ggg	att	aca	cat	ggc	atg	gat	gaa	cta	tac	aaa	721
269	Phe	Val	Thr	Ala	Ala	Gly	Ile	Thr	His	Gly	Met	Asp	Glu	Leu	Tyr	Lys	
270			225					230				•	235				
													764				
	5 <210> SEQ ID NO: 16 5 <211> LENGTH: 238																
					00												
	7 <212> TYPE: PRT 3 <213> ORGANISM: Aequorea Victoria																
•							`		-								

Input Set : $A:\3759-0106P.ST25.txt$

Output Set: N:\CRF4\10312002\I619310B.raw

280	<pre><400> SEQUENCE:</pre>			16													
282	Met	Ser	Lys	Gly	Glu	Glu	Leu	Phe	Thr	Gly	Val	Val	Pro	Ile	Leu	Val	
283	1				5					10					15		
286	Glu	Leu	Asp	Gly	Asp	Val	Asn	Gly	Gln	Lys	Phe	Ser	Val	Ser	Gly	Glu	
287				20					25					30			
290	Gly	Glu	Gly	Asp	Ala	Thr	Tyr	Gly	Lys	Leu	Thr	Leu	Lys	Phe	Ile	Cys	
291			35					40					45				
294	Thr	Thr	Gly	Lys	Leu	Pro	Val	Pro	Trp	Pro	Thr	Leu	Val	Thr	Thr	Phe	
295		50					55					60					
298	Ser	Tyr	Gly	Val	Gln	Cys	Phe	Ser	Arg	Tyr	Pro	Asp	His	Met	Lys	Gln	
299						70					75					80	
302	His	Asp	Phe	Phe	Lys	Ser	Ala	Met	Pro	Glu	Gly	Tyr	Val	Gln	Glu	Arg	
303					85					90					95		
306	Thr	Ile	Phe	Tyr	Lys	Asp	Asp	Gly	Asn	Tyr	Lys	Thr	Arg	Ala	Glu	Val	
307				100					105					110			
310	Lys	Phe	Glu	Gly	Asp	Thr	Leu	Val	Asn	Arg	Ile	Glu	Leu	Lys	Gly	Ile	
311			115					120					125				
314	Asp	Phe	Lys	Glu	Asp	Gly	Asn	Ile	Leu	Gly	His	Lys	Met	Glu	Tyr	Asn	
315	_	130	_			_	135					140					
318	Tyr	Asn	Ser	His	Asn	Val	Tyr	Ile	Met	Ala	Asp	Lys	Pro	Lys	Asn	Gly	
319	145					150	_				155					160	
322	Ile	Lys	Val	Asn	Phe	Lys	Ile	Arg	His	Asn	Ile	Lys	Asp	Gly	Ser	Val	
323		-			165	_		-		170					175		
	Gln	Leu	Ala	Asp	His	Tyr	Gln	Gln	Asn	Thr	Pro	Ile	Gly	Asp	Gly	Pro	
327				180		_			185					190			
330	Val	Leu	Leu	Pro	Asp	Asn	His	Tyr	Leu	Ser	Thr	Gln	Ser	Ala	Leu	Ser	
331			195		_			200					205				
	Lys	Asp	Pro	Asn	Glu	Lys	Arg	Asp	His	Met	Ile	Leu	Leu	Glu	Phe	Val	
335	-	210				-	215	_				220					
	Thr	Ala	Ala	Gly	Ile	Thr	His	Gly	Met	Asp	Glu	Leu	Tyr	Lys			
	225			_		230		_		_	235						
)> SI	EQ II	ON C	: 17												
			ENGTI														
344	<212	2> TY	YPE:	DNA													
					Aequ	iorea	a vid	ctori	ίa								
			EATUI		_												
348	<221> NAME/KEY: CDS																
	<222> LOCATION: (8)(724)																
	<223> OTHER INFORMATION:																
353	<400)> 17	7														
				agt	aaa	gga	gaa	gaa	ctt	ttc	act	gga	gtt	gtc	cca	att	49
355	_						Ğlu										
356			1		-	-	5					10					
	ctt	gtt	gaa	tta	gat	ggc	gat	gtt	aat	ggq	caa	aaa	ttc	tcc	gtt	agt	97
							Asp										
36.0						20	•			- 4	25	-				30	
		gag	gat	gaa	gat	gat	gca	aca	tac	gga		ctt	acc	ctt	aaa		145
							Ala										
364	- 4		-		35	•	•		-	40	-				45		
-																	

W-->

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/619,310B

DATE: 10/31/2002 TIME: 16:05:25

Input Set : A:\3759-0106P.ST25.txt

Output Set: N:\CRF4\10312002\1619310B.raw

L:211 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:15,Line#:208 L:353 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:17,Line#:350 L:495 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:19,Line#:492 L:651 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:21,Line#:648